

## OVERVIEW

This document lists the contents included in the box as well as the assembly instructions for this product. Kindly take your time to identify the hardware and individual components. We highly recommend placing the hardware and components atop a soft, carpeted and/or padded surface to protect the product and your property during assembly.

## QUESTIONS?

Missing hardware or require further assistance for assembly? Email us at [support@noahome.com](mailto:support@noahome.com). We're always here to help.

## CLEAN AND CARE INSTRUCTIONS

- Do not dispose of any packaging contents until assembly is completed to avoid accidentally discarding hardware or components.
- Place all hardware and components atop a soft, carpeted and/or padded surface area to protect the product and your property during assembly.
- Tighten screws and components every three (3) to six (6) months.
- Over time, air and sunlight may change the colour of the fabric (fading). To prevent fading, avoid placing the bed in direct sunlight.

## EXCHANGE AND RETURNS


- If you are not entirely satisfied with your purchase, we will gladly accept a return of a brand new - unopened and unassembled - product within 30 days of receipt of your delivery. The unopened and unassembled item must be in its original condition and packaging. Refunds will be processed in the original form of payment. Returns are subject to delivery and/or restocking fees.

## WARRANTY


Thank you for purchasing your new Noa product. We hold ourselves to the highest standards of product quality and are confident you'll be pleased with your purchase. All products are carefully inspected prior to shipment. Our products carry a one (1) year warranty covering manufacturing defects. The warranty applies to household use only of our products. The product warranty does not cover normal wear and tear, scratches, discoloration, misuse, shrinkage or abusive wear.

**PLEASE NOTE:** If you notice that your product or its individual components are damaged upon unboxing, please notify us in writing by email at [support@noahome.com](mailto:support@noahome.com) within three (3) days of receipt of your delivery. In order to process a replacement part request, we will require photos of the damaged component(s) **\*BEFORE\*** they have been used for assembly. Claims made after three (3) days of receipt of delivery are subject to fees.


**\*\*\*IMPORTANT\*\*\*:** All claims relating to damaged components and products must be made **BEFORE** assembly of the product.




Assembly by two persons (recommended)



Move / lift by two persons




Not required nor included




Do not use drill nor required


## HARDWARE




A \* 9 pcs



B \* N/A  
(not applicable for Parker)



C \* 4 pcs



D \* 8 pcs



E \* 6 pcs




F \* 4 pcs




G \* 58 pcs



H \* 4 pcs




I \* 1 pc




J \* 6 pcs


## COMPONENTS




K \* 2 pcs




L \* 1 pc (footboard)




M \* 1 pc (left side)



N \* 1 pc (right side)




O \* 1 pc (headboard)






P \* 1 pc (support slats left)

Q \* 1 pc (support slats right)

## COMPLETE OVERVIEW




## STEP 1



Secure the metal bracket plates (A) using the Allen key (I) and screws (G) to both side rails of the bed (6x), the footboard (2x) and headboard (1x). This step must be completed nine times (9x).


## STEP 2

Right side rail (N) shown below. Repeat the step for the left side rail (M).



Secure the L brackets (D) to both side rails (M and N). These L brackets (D) will secure both side rails to the footboard (L).


## STEP 3



Connect the side rails (M and N) to the headboard (O) by securing L brackets (D) using screws G.




## STEP 4




Connect the side rails (M and N) to the footboard (L) by securing L brackets D using screws G.

## STEP 5




Flip entire bed frame structure onto one of its sides (requires 2 persons).  
Secure all four corner legs C using screws G.

## STEP 6




Position parts K between the support slat structures P (left side) and Q (right side) - one at the top and the other at the bottom. Connect support slat structures P and Q by pushing them towards one another (parts K should now be inserted within P and Q).

## STEP 7




Connect both slat structures P and Q by securing screws F and washers H through the threading of parts K previously inserted into the metal frame.

## STEP 8



Secure the six (6) support slat legs J using screws E.

## STEP 9



Position the support slat structure within the bed frame. This step requires two (2) persons.